



Specialty Paints & Products for
Sign · Branding · Re-Imaging
1.800.421.7961

Q-MASK™ SM4000™ STRIPPABLE MASKING

ALL BRANDS OF MASKING ARE NOT COMPATABLE !!!
MIXING DIFFERENT BRANDS TOGETHER WILL RESULT IN
CLOGGED SPRAY EQUIPMENT AND CONGEALLED
MATERIAL IN HOSES.

FIRST TIME EQUIPMENT PREPARATION INSTRUCTIONS

**ALL PUMPS, HOSES AND SPRAY GUNS MUST BE
FLUSHED WITH LARGE VOLUMES OF WATER TO
REMOVE ALL OTHER BRANDS OF MASKING OR DRIED
RESIDUE IN HOSES.**

**CONTINUE FLUSHING EQUIPMENT WITH WATER UNTIL
WATER “RUNS CLEAR” FOR SEVERAL MINUTES.**

**BEGIN PUMPING QMASK SM4000 THRU EQUIPMENT
INTO SPARE CONTAINER UNTIL ALL WATER HAS
BEEN REMOVED FROM SPRAY EQUIPMENT.**

**WHEN MASKING PUMPS OR SPRAYS THRU
EQUIPMENT AT ORIGINAL SUPPLIED VISCOSITY
BEGIN APPLYING ON PLASTIC SUBSTRATE.**

**NOTE: IF ANY WATER IS TRAPPED IN LINES OR
HOSES, MASKING WILL APPEAR THIN UNTIL IT IS
COMPLETELY PURGED FROM THE SYSTEM.**

Always test surface preparation, primer and topcoat compatibility to determine acceptability before any production run.

Disclaimer: Technical information and suggested uses are believed to be reliable by QH&F Ltd., but such information or suggestions do not constitute a warranty. QH&F Ltd. has no control over the conditions under which the product is stored, handled, used or applied. Buyers must determine for themselves the suitability of each product for their specific use.

® is a registered trademark and ™ is a trademark of Quill Hair & Ferrule LTD. Copyright © 2009. Quill Hair and Ferrule LTD. All Rights Reserved.